



POWER GENERATORS

**INMESOL**

**ITP**

**LT LIGHTING**  
TOWER



[www.inmesol.com](http://www.inmesol.com)

# ITP

**4 × 150 W LED**  
**@ 230 VAC – 50 Hz**



## 01

### COMPACT, STABLE AND LIGHT


Easy to install and use.



## 02

### CONNECTABLE TO ANY POWER SOURCE

Indoor and outdoor without exhaust emissions or noise.



## 03

### VOLUME AND DIMENSIONS ARE OPTIMIZED

The base frame has the dimensions of an Euro Pallet which make transportation easy.




Rev. 01 | 25/11/2024

These details shown on this data sheet are intended for guidance only. Inmesol reserves the right to change the details without prior notice. The present documents will not be part of any sales contract. Prices provided are correct unless there might have been a mistake or we drop any product from our product range.

## 04

## SEVERAL TOWERS CONNECTED IN SERIES WILL MULTIPLY THE LUMENS.

Up to 12 units maximum.



### BASIC ELEMENTS:

#### Weight & dimensions

**Weight:** 235 kg.

**Transport dimensions:**

1.198 mm x 786 mm x 2.824 mm  
(Length x width x height).

**Working position dimensions:**

2.042 mm x 1.296 mm x 7.000 mm  
(Length x width x height).

#### Electric System / Spotlight

**Supply:** CEE male socket, 2 pole + earth, 32 Amp with spiral cable.

**Output:** CEE female base 2 pole + earth, 32 Amp, protected by a 32 Amp circuit breaker.

**Output to spotlights:**  
2 x 10 Amp circuit breakers.

**LED spotlights:** 4 x 150 Watt, 4 x 12.000 Lumen spotlights.

#### Lifting Kit

**Maximum height:** 7 m.

**Lifting system:** manual.



Wheels brake



Manual lifting system



Transport handles



4 LED spotlights x150 W

# POWER GENERATORS **INMESOL**

## Our products:

**3P** Portable Range

**CG** C-Genset Range

**IN** Industrial Range

**HR** Heavy Range

**ER** Emergency Range

**LT** Lighting Towers

**RR** Rental Range



**MORE INFORMATION:** [www.inmesol.com](http://www.inmesol.com)



**INMESOL, S.L.U.**

CENTRAL HEAD OFFICE

Carretera de Fuente Álamo, 2. 30153 Corvera · MURCIA. SPAIN

Phone: +34 968 38 03 00 | Fax: +34 968 38 04 00

Email: [inmesol@inmesol.com](mailto:inmesol@inmesol.com)

[www.inmesol.com](http://www.inmesol.com)



These details shown on this data sheet are intended for guidance only. Inmesol reserves the right to change the details without prior notice. The present documents will not be part of any sales contract.

*Inmesol is present in over  
**90 countries worldwide***

Rev. 01 | 25/11/2024